



COALITION OF GERIATRIC
NURSING ORGANIZATIONS

Caring with One Voice

COVID-19 Vaccine

Why Should I Receive A Vaccine?

- It prevents you from developing serious COVID-19 disease.
- It helps to get our country back to normal as soon as possible.



Is It Safe?

- Yes. Two advisory committees reviewed all safety information and recommended the vaccines be approved by the FDA. The advisory committees are scientists and are not government employees or politicians.
- Everyone who received the vaccine in the study was monitored for 8 weeks for any side effects although the FDA normally only requires 6 weeks of monitoring.
- Many different ethnic groups were included in the studies.



Pfizer Study

- 43,931 Participants
- Minority Participants
 - * 10% African American
 - * 13% Hispanic
 - * 6% Asian
- Only 1 severe reaction
- 2 doses 21 days apart
- mRNA Vaccine

Moderna Study

- 30,000 Participants
- Minority Participants
 - * 10.2% African American
 - * 20% Hispanic
 - * 4.6% Asian
- Only 1 severe reaction
- 2 doses 28 days apart
- mRNA Vaccine




Johnson & Johnson Study

- 43,783 Participants
- Minority Participants
 - * 13% African American
 - * 15% Hispanic
 - * 6% Asian
 - * 1% Native American
- No reports of severe reaction found
- Single dose
- Viral Vector Vaccine



How Does Messenger RNA (mRNA) Work?

- Teaches the body to protect itself from the COVID-19 virus.
- Messenger RNA technology is used to build the antibodies against the virus.
- Messenger RNA is used in the Moderna & Pfizer vaccines.
- This technology has already been used in some medications used to treat cancer.
- Ebola vaccine uses similar technology.



How Did Vaccines Get Approved So Quickly?

- The federal government gave drug companies billions of dollars to devote their time to develop COVID-19 vaccines. This allowed companies to pay more scientists to work on the project.
- The messenger RNA technology allows for faster development of vaccines than older vaccines that took years to develop.

What Should I Expect After Getting The Vaccine?

- You may have short-term side effects that are similar to the flu vaccine:
 - * Headache
 - * Pain at injection site
 - * Tiredness
 - * Muscle Pain
 - * Fever
- These are signs that your body's immune system is working to build the antibodies against COVID-19.



How Long Does It Take To Work?

- The Pfizer and Moderna vaccines show increased effectiveness if you take a 2nd shot 3-4 weeks after the first one.
 - * You will receive maximum benefit about 2 weeks after receiving the 2nd shot.
- The Johnson & Johnson vaccine is a single dose vaccine.
 - * You will receive maximum benefit about 2 weeks after receiving the shot.

I Had COVID Do I Still Need The Vaccine?

- Yes, some people have been sick with COVID-19 more than once so everyone should receive the vaccine.

Can I Get COVID From The Vaccine?

- No, the vaccine does not contain a live virus so it will not give you COVID-19.



Serious Long Term Effects Of Vaccine

- Researchers continue to monitor for serious long term effects.
- So far no serious long term effects have been reported with Moderna & Pfizer vaccines.
- The J&J vaccine was put on pause for 10 days due to reports of possible blood clots associated with the vaccine. On 04/23/21 the FDA and CDC authorized continued use of the vaccine after thorough investigation of all safety data.

Possible Long Term Effects Of COVID-19 Virus

- Difficulty with thinking and concentration
- Altered smell and taste
- Problems sleeping
- Depression
- Anxiety
- Mood changes
- Muscle pain
- Headache
- Intermittent fever
- Fast-beating or pounding heart
- Breathing problems
- Skin rash
- Hair loss
- Acute kidney injury
- Pulmonary changes

**The Significant Long Term Effects Of COVID-19
Virus Are Still Unknown**

**But The Risk Of Death When Having The Virus
Is High.**

Which Is Worth The Risk?

Getting the **Virus or The **Vaccine****

Your Decision To Decide

**This publication contains information
available as of April 27, 2021.**



COALITION OF GERIATRIC NURSING ORGANIZATIONS

Caring with One Voice

Sources:

- CDC. (2021). *U.S. COVID-19 vaccine product information*. Retrieved January 25, 2021. <https://www.cdc.gov/vaccines/covid-19/info-by-product/index.html>
- CDC. (2021). *U.S. long-term effects of COVID-19*. Retrieved February 28, 2021. <https://www.cdc.gov/coronavirus/2019-ncov/long-term-effects.html>
- CDC. (2021). *Vaccines & immunizations: Janssen COVID-19 vaccine (Johnson & Johnson) questions*. Retrieved April 5, 2021. <https://www.cdc.gov/vaccines/covid-19/info-by-product/janssen/janssen-faqs.html>
- CDC. (2021). *FDA and CDC lift recommended pause on Johnson & Johnson (Janssen) COVID-19 vaccine use following thorough safety review*. Retrieved April 27, 2021. <https://www.cdc.gov/media/releases/2021/fda-cdc-lift-vaccine-use.html>
- Johnson & Johnson (2021). *Johnson & Johnson COVID-19 vaccine authorized by U.S. FDA for emergency use - first single-shot vaccine in fight against global pandemic*. Retrieved April 5, 2021. <https://www.jnj.com/johnson-johnson-covid-19-vaccine-authorized-by-u-s-fda-for-emergency-usefirst-single-shot-vaccine-in-fight-against-global-pandemic>
- Sridhar, S. (2015). Clinical development of Ebola vaccines. *Therapeutic Advances in Vaccines*. 3 (5-6), 125–138. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4667768/>
- The Society for Post-Acute and Long-Term Care Medicine. (2021). *COVID 19 vaccine education toolkit*. Retrieved January 25, 2021. <https://paltc.org/COVID-19>